

3m s15 projector manual

3M S15/X15 Multimedia Projector Gebruiksaanwijzing



Bedankt voor de aankoop van deze projector.

WAARSCHUWING ▶ Lees de "Veiligheidsinstructies op Product en deze handleidingen aandachtig door zodat u het apparaat correct kunt gebruiken. Bewaar deze handleiding, nadat u deze aandachtig heeft doorgelezen, zodat u deze later opnieuw kunt doorlezen.

Over deze gebruiksaanwijzing

Verschillende symbolen worden in deze gebruiksaanwijzing gebruikt. De betekenis van deze symbolen worden hieronder beschreven.

WAARSCHUWING Dit symbool geeft informatie dat, indien genegeerd, mogelijk zou kunnen leiden tot persoonlijke verwonding of zelfs dood door incorrect gebruik.

OPGELET Dit symbool geeft informatie dat, indien genegeerd, mogelijk zou kunnen leiden tot persoonlijke verwonding of fysieke beschadiging door incorrect gebruik.

OPMERKING - De informatie in deze handleiding kan zonder voorafgaande kennisgeving veranderd worden.

• De fabrikant aanvaardt geen aansprakelijkheid voor de eventuele fouten in deze handleiding.
• Reproductie, verspreiding of het gebruik van dit document is niet toegestaan, zonder uitdrukkelijke toestemming van de betreffende partij.

ERKENNING HANDELSMERK

• VGA en XGA zijn geregistreerde handelsmerken van de International Business Machines Corporation.
• Apple en Mac zijn geregistreerde handelsmerken van Apple Computer, Inc.
• VESA en VESA zijn handelsmerken van Video Electronics Standard Association.
• Windows is een geregistreerd handelsmerk van Microsoft Corporation.
• Internet Explorer is een handelsmerk van Microsoft Corporation.
Alle andere handelsmerken zijn eigendom van de betreffende eigenaars.

File Name: 3m s15 projector manual.pdf

Size: 1275 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 30 May 2019, 22:22 PM

Rating: 4.6/5 from 623 votes.

Status: AVAILABLE

Last checked: 14 Minutes ago!

In order to read or download 3m s15 projector manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with 3m s15 projector manual . To get started finding 3m s15 projector manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

3m s15 projector manual

The internal 3LCD technology is an innovative 3chip design that sets itself apart by delivering vibrant, true-to-life images with better color brightness and a wider color gamut. Weighing in at 2.2 kg, this portable projector is bright and compact, perfect for business travelers, taking on a family vacation or just moving from room to room. After reading, store them in a safe place for future reference. About this manual Various symbols are used in this manual. The meanings of these symbols are described below. WARNING This symbol indicates information that, if ignored, could possibly result in personal injury or even death. The image can be still kept as bright and clean enough for use in bright rooms. Low Noise WHISPER To avoid losing, please fasten the lens cover to the projector using the strap. Slowly turn over the projector, so that Before operating, make sure that the power switch is off, that the power cord is not plugged in, and that the projector is cool adequately. When the projector is installed bottom up, please use the accessory. A too long cable may cause a certain picture degradation. Please consult with your Please power on the projector before the connected devices. Please check your inbox, and if you can't find it, check your spam folder to make sure it didn't end up there. Please also check your spam folder. After reading, store them in a safe place for future reference The meanings of these symbols are described below. It requires just a little space for installation and gets a large image from short distance. The image can be still kept as bright and clean enough for use in bright rooms. It is perfect for use in low luminance rooms where low noise is more important than brightness. Contact immediately your dealer if anything is missing. Before operating, make sure that the power switch is off, that the power cord is not plugged in, and that the projector is cool adequately. <http://www.fleseriassociates.ro/files/comcast-cable-remote-control-manual.xml>

- **3m s15 projector manual, 3m s15 projector manual download, 3m s15 projector manual instructions, 3m s15 projector manual free, 3m s15 projector manual 2017, 3m s15 projector manual 2016, 3m s15 projector manual review, 3m s15 projector manual online, 3m s15 projector manual diagram.**

Improper use may result in battery explosion, cracking or leakage, which could result in. Do not mix a new battery with used one. Whenever the remote control starts to malfunction, replace the batteries. If you won't use the remote control for an extended period, remove the batteries from the remote control and store them in a safe place. Incorrect handling could cause damage or malfunction. Adjust the direction of the projector to keep light from directly hitting the projector's remote sensor Before operating, make sure that the power switch is off, that the power cord is not plugged in, and that the projector is cool adequately It is higher than usual. Please change in the following procedure. Then slowly turn the projector so that the lens side is facing While the projector is placed lens side up, hold the projector. Make the claws slide along the rail, and set the air. Then using damaged projector could result in a. And in the case of a ceiling installation or the like, contact your dealer before installation. Put nothing on the projector. This projector has some intake vents also on the bottom. Damping the projector or inserting liquid in the projector could cause a. Placing the projector in such place could cause a. Before operating, make sure that the power switch is off, that the power cord is not plugged in, and that the projector is cool adequately To prevent damaging the projector and injuring yourself, always hold the projector whenever using the elevator buttons to adjust the elevator feet The adjustment range of the elevator feet is 0 to 9 degrees. The elevator buttons and the elevator feet are on the both sides. Some cables have to be used with core set. A too long cable may cause a certain picture degradation. Please consult with your dealer for

details. <http://bonsai-tree.ru/userfiles/comcast-cable-modem-arris-manual.xml>

For cables that have a core only at one end, connect the core to the projector. If it is damaged, contact your dealer to newly get correct one. Never attempt to defeat the ground connection of the threepronged plug. Do not look into the lens or vents of the projector. Then wait several seconds because buttons may not function for these several seconds. When the power is completely on, the indicator will stop blinking and light green. The POWER indicator will go off. For safety purposes, disconnect the power cord if the projector is not to be used for prolonged periods of time. You may have to register before you can post. Click the register link above to proceed. To start viewing messages, select the forum that you want to visit from the selection below. All of our Boxlight replacement projector lamps and bulbs are ORIGINAL, meaning they are made from affordable, original components, not a reproduction or cheap replacement bulb. A full manufacturer warranty is given on all of our Boxlight projector lamps and bulbs for your peace of mind when shopping with us. It features ORIGINAL parts and is intended as a replacement for use in Boxlight brand projectors. Please try again. MI Technologies, Inc. ShoppersAdda is the sole distributor of Lutema projector lamps in India. Please be aware that the warranty is not applicable if bought from other seller than ShoppersAdda. Please try your search again later. You can edit your question or post anyway. Platinum Solution bulbs are original 3M replacement lamp and provide same brightness and lifespan. We are an authorized Philips, Osram and many other lamp manufacturers; and sell only genuine products. Part Numbers S15 Amazon calculates a products star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers and factors that establish reviewer trustworthiness.

May have minor " May have minor scratches and scuffs. Image may have some signs of normal use. Lamp only 238 hours used or less. 30 Days Warranty. ". Create a lasting impression! Ideal for smaller rooms in the office. Sleek lines! Light weight for portable use. Control. Computer Input. Serial. Control. Audio. S15 Order Number 78923668442. X15 Order Number 78923668475 Optical. Size. Optional Accessories. Electrical. For the model S15. For the model X15. At 43 Screen Accessories included. Notebook computer not included. Important Notice. A VGA to RCA component video cable. Warranties Building A1455N01 Austin, TX 787269000 P.O. Box 5757. London, Ontario, Canada Apartado Postal 14139. Mexico, D.F. 07070. Mexico All statements, technical information, and recommendations related to 3M's products You assume all risks and liability associated with such use. Any Warranty; Limited Remedy; Limited Liability. This product will be free from defects in material and manufacture for a period of 3 years from Except where prohibited by law, 3M will not be Hg—LAMP CONTAINS MERCURY. Manage in accord with disposal laws. See www.lamprecycle.com. For product disposal see www.3m.com. Specifications subject to change without notice. Image is split. Color shows only black and white. Posted by free18 8 years ago Answers Accessories. 54 Technical English only Please see the end of package.. 3 Part names. 4 Projector. 4 Controls. 5 Remote. Strap for Lens cover VGA cable. Power cord US, UK, EUROPE. Operators Guide Product Safety Guide Quick Start Guide Warranty POSITION button on the remote control. Even if you in correcting the distortion. This function is available only when the AUTO mode is set to its maximum size. At the Advance menu, when some input. Go To Advance Menu. Each of this manual. EASY MENU ASPECT ZOOM KEYSTONE MODE BRIGHT CONTRAST COLOR TINT SHARPNESS WHISPER MIRROR RESET FILTER. settings PICTURE menu. With the PICTURE menu, items shown in the left end. This function is useful when you in adjusting the mode.

<http://www.drupalitalia.org/node/68154>

Multifunctional settings. OPTION menu. With the OPTION menu, items shown in order of following table. When the time is set to 1 to the following. Then when an input is not turned off. Change the COLOR SPACE setting to a higher level using the menu function or the remote control. The following

terms are frequently used to search for 3M S15 support. Includes 1 year warranty. Includes 1 year warranty. Includes 1 year warranty. Includes 1 year warranty. Sign up to our newsletter today. This remote provides you a full control of your 3M S15 projector. Install 2 AAA remote control batteries Before getting the remote control to work on your 3M S15 projector, please install two new AA batteries. And don't forget to remove the batteries from the remote if you will not use the remote for a long period and keep them in the safe place. Hold the hook part of the battery cover on the back side of the remote. Remove it to open the cover. Align and insert two new AA batteries. Please follow its plus and minus terminals as indicated in the remote control. Reinstall the battery cover in the direction of the arrow and snap it back into place. How to fix if the remote control does not work on your 3M S15 projector. Sometimes, the replacement remote control may not work on your projector when you use it for the first time. In this case, we have to find out the reason that makes it not function. Test the remote control First, let's test or check if the replacement remote control was broken when it was on the international shipping way. To test the remote control, open your phone camera If your camera is iPhone, please ensure to test on the front camera which is located on the iPhone screen side and point it at the projector remote control signal InfraRed light on the top of the remote. And then, press any key of the remote to check if you could see the InfraRed light flashed on the phone screen.

<http://groupepse-cabinet-recouvrement-affacturage-assurancecredit.com/images/canon-lc-310-user-manual.pdf>

If you could not see the InfraRed light, please check the batteries plus and minus terminals. And please contact us if you confirm the batteries were installed correctly. Use the remote control near the projector's remote sensor Secondly, the remote control works with the projector's remote sensor. After testing the remote control InfraRed light work, confirm that you are using the remote. Generally, most of the projector's remote sensor is located in front side of the projector. The sensor senses the signal within 60 degrees range 30 degrees to the left and right of the sensor and 3 meters about. Therefore, you have to ensure to use the projector remote control within the sensing area. Changing the remote control signal frequency In most of the projector remote controls, they have two choices of signal frequency mode. For the 3M projector remote control, it provides two different signal frequency mode the factory set initial mode 1 Normal and mode 2 High. The switching function is to prevent remote control interference when operating several projectors or other videos devices at the same time. Furthermore, when you change the frequency of the remote control signal, please remember to set the same mode in your projector's REMOTE FREQ. For further information on how to do this, you need to read your projector manual on chapter Remote Control Code. Ideal for smaller rooms in the office. Perfect for home use. Sleek lines and a guaranteed performance. Light weight for portable use. Refurbished. Internal parts, fans, connectors, lamp and filter have been professionally cleaned to improve projector performance and extend its life. Cosmetic condition. All units are carefully cleaned and appropriately sanitized with an antibacterial cleansing agent so you can enjoy your projector. Lamp is original and checked to have no damages. Only 238 hours used or less guaranteed. Image may have some small signs of normal wear such as minor blemishes. Overall image is good.

<http://afhobiecat.com/images/canon-lbp5960-user-manual.pdf>

Image has no dead pixels. Lens is cleaned and covered with a repellent that protect lens and increase its life time. After reading, store them in a safe place for future reference. About this manual Various symbols are used in this manual. The meanings of these symbols are described below. WARNING This symbol indicates information that, if ignored, could possibly result in personal injury or even death due to incorrect handling. CAUTION This symbol indicates information that, if ignored, could result possibly in personal injury or physical damage due to incorrect handling. Please refer to the pages written following this symbol. All o

the r tra dem ark s are th e p ro per ty of th eir re spe ct ive ow ner s. Posez votre question ici. Fournissez une description claire et complete du probleme et de votre question. Plus votre probleme et votre question sont detaillées, plus il sera facile pour les autres propriétaires du S15 de la marque 3M de repondre correctement a votre question. Poser une question A propos de 3M S15 Ce manuel appartient a la categorie Projecteurs et a ete evalue par 1 personnes avec une moyenne de 6. Ce manuel est disponible dans les langues suivantes Anglais. Vous avez une question sur le S15 de la marque 3M ou avezvous besoin d'aide. Posez votre question ici Specifications du S15 de la marque 3M Marque ModesdEmploi.fr vous permet de trouver le manuel que vous recherchez en un rien de temps. Chaque jour, nous ajoutons les derniers manuels afin que vous trouviez toujours le produit que vous recherchez. ModesdEmploi. fr Si vous continuez a utiliser ce dernier, nous considererons que vous acceptez l'utilisation des cookies. En savoir plus Ok. Brightness 1500 lumens Weight 4.9 lbs. Resolution SVGA Prices and product availability can fluctuate and are subject to change without notice. Covered in Warranty Warranty of the product is limited to manufacturing defects only.

Post your question Safe and Secure Payments. Easy returns. 100% Authentic products. Deano, Boris or Simon are onhand for you via Phone, Online Chat, Email and Social Media. We're here to help, no matter if the question is big, or small! We have extensively tested our platforms to ensure ALL transactions are safe and secure, each and every day. Even your existing equipment can be incorporated into the new system. So we ensure we take the time to understand your requirements. We can project manage the entire project for you from the prewiring if its a new house right that through to install and final system configuration. Visit our demo rooms to try headphones, soundbars, HiFi components, speakers of all sizes and types as well as home theatre projectors. Our staff will talk you through your options and provide expert help and guidance for your HiFi or AV project. Very rarely does an audio brand surprise us as much as.

www.geosuiteonline.de/wp-content/plugins/formcraft/file-upload/server/content/files/1626be09f6838c---casio-4500pa-manual.pdf

<http://www.drupalitalia.org/node/68155>